S76	21	receiv$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt$4 near3 (key or "first key" or "original key")) same ((second or another or different) adj2 key)) same (combin$4 or join$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:42
S77	0	receiv$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt$4 near3 (key or "first key" or "original key")) with (forming or making or creat$4) with ((second or another or different) adj2 key)) same (combin$4 or join$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:45
S78	12	((single adj2 stor$4) with ((encrypted adj2 (data or information or file or content or image or audio or video))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:55
S79	42	(("5937161") or ("5892825") or ("6226618") or ("6226618") or ("5765152") or ("5078135") or ("5991403") or ("4817140") or ("5661799") or ("5784461") or (":881152") or ("6055314") or ("6253193") or ("6363188") or ("6367019") or ("6385596") or ("6389102") or ("6389541") or ("6390245") or ("6118421") or ("6427140") or ("6434535") or ("6438235") or ("6550011") or ("6792113") or ("6176477") or ("6185306") or ("(131162") or ("6182218") or ("6219421") or ("6219121") or ("58150489") or ("58J2850") or ("5933500") or ("6016348") or ("6073234") or ("6092191") or ("6115816") or ("6126071") or ("6185680") or ("6210511") or ("(860353") or ("5185794") or ("5267312") or ("5793Q29") or ("5106627") or ("5167396") or ("5539828") or ("5586036")).PN. or ("600277"). CLAS.	US-PGPUB; USPAT	OR	OFF	2005/04/04 18:55
S80	0	("48171410").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/04 18:56
S81	1	("4817140").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/04 18:56

S82	2	ep-821326-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:45
S83	2	ep-695997-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:59
S84	2	"6367019".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:59
S85	1	09/898319	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:51
S86	2	"6031910".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 11:35
S87	8	("5267313" | "5282247" | "5428685" | "5526428" | "5623546" | "5745571" | "5802175" | "5825875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 12:10
S88	22	("5825875").URPN.	USPAT	OR	ON	2005/04/07 13:15
S89	14904	(stor$4 with (data with (key or "associated key" or (encrypt$4 adj2 key))))	USPAT	OR	ON	2005/04/07 13:16
S90	747	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:53

S91	747	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key)))) same (combin$4 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:40
S92	747	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key)))) with (combin$4 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:41
S94	265	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key)))) and @ad<"20000801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:44
S95	265	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key)))) and @ad<"20000801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:44
S96	195	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key)))) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 13:47
S97	192	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key))) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 13:47
S98	156	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key))) and @ad<"20000801" and ("713"/$. ccls. or "380"/.ccls.)	US-PGPUB; USPAT	OR	ON	2005/04/07 13:49
S99	130	(stor$4 near3 ((encrypted adj2 (data or content or file or image or audio or video)) with (key))) and @ad<"20000801" and ("713"/$. ccls. or "380"/.ccls.)	US-PGPUB; USPAT	OR	ON	2005/04/07 13:50
S10 3	1178	(single near3 (storage adj2 (media or medium)))	US-PGPUB; USPAT	OR	ON	2005/04/07 13:51

S10 6	2	(stor$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt$4 adj2 key)))) same (single with (storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:01
S10 7	2	"6389538".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:05
S10 8	103	(combin$4 with ((encrypted adj2 data) with key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:06
S11 1	2	(combin$4 with ((encrypted adj2 data) with key)) same (stor$4 with single)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:07
S11 2	3	(("5940507") or ("6671759") or ("5235641")).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/12 17:41
S11 4	2	wo-9948303-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:42
S11 5	1	09/898319	US-PGPUB; USPAT	OR	ON	2005/04/12 18:06
S11 6	9459	(receiv$4 or accept$4 or get$4 or obtain$4) with (encrypt$4 near3 (content or data or image or video or audio or music))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:14
S11 7	77	(receiv$4 or accept$4 or get$4 or obtain$4) with (encrypt$4 near3 (content or data or image or video or audio or music)) same ("IEEE 1394" or "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3375	(encrypt$4 with (key or "first key") with ((another or second or different) adj2 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:44
L2	17	(encrypt$4 with (key or "first key") with ((another or second or different) adj2 key)) same (combin$4 with (encrypted adj2 (data or content or file or music or audio or video)) with (key or ((second or another or different) adj2 key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:56
L4	12	(encrypt$4 with (key or "first key") with ((another or second or different) adj2 key)) same (combin$4 with (encrypted adj2 (data or content or file or music or audio or video)) with (key or ((second or another or different) adj2 key))) and (storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:56
L5	1	("6490357").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:21
L8	1	("6226618").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:39
L9	1	("6611812").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:40
L12	507	(encrypt$4 near3 algorithm) near3 different near3 (algorithm)	US-PGPUB; USPAT	OR	ON	2005/04/13 13:34
L13	226	(encrypt$4 near3 different near3 algorithm) with key	US-PGPUB; USPAT	OR	ON	2005/04/13 13:35
L14	25	(encrypt$4 near3 different near3 algorithm) with key same (des or "xor" or m2 or m6+ or idea)	US-PGPUB; USPAT	OR	ON	2005/04/13 13:37
L15	2	(encrypt$4 near3 different near3 algorithm) with key same (des or "xor" or m2 or m6+ or idea) same head$3	US-PGPUB; USPAT	OR	ON	2005/04/13 13:36
S4	165	713/193.ccls. and (receiv$4 near3 (encrypt$4 near3 (data or file$1 or content$1)))	US-PGPUB; USPAT	OR	ON	2004/09/23 09:37
S5	10	S4 and (IEEE near2 "1394")	US-PGPUB; USPAT	OR	ON	2004/09/23 09:31
S6	1	S5 and @ay<"2000."	US-PGPUB; USPAT	OR	ON	2004/09/23 09:31

S59	0	"5940507.pn"	US-PGPUB; USPAT	OR	ON	2004/09/22 14:20
S60	1	"5940507".pn.	US-PGPUB; USPAT	OR	ON	2004/09/22 14:20
S61	1	"6393564".pn.	US-PGPUB; USPAT	OR	ON	2004/09/22 17:19
S68	2497	(combin$4 or join$4) with (data or content or file) with (key)	US-PGPUB; USPAT	OR	ON	2005/04/04 13:49
S69	3315	(combin$4 or join$4) with (data or content or file) with (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:51
S70	246	(combin$4 or join$4) with (data or content or file) with (key) and (single near3 stor$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:51
S71	14	(combin$4 or join$4) with (data or content or file) with (key) and (single near3 stor$4) same head$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:18
S72	1	("6775655").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/04 17:00
S73	25432	receiv$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:19
S74	2841	receiv$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt$4 near3 (key or "first key" or "original key")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:21
S75	311	receiv$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt$4 near3 (key or "first key" or "original key")) same ((second or another or different) adj2 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:22